Tire Science and Technology
Index to Volume 23
1995

Number	Months	Pages
1	Jan.–Mar.	1– 70
2	Apr.–Jun.	71–136
3	Jul.–Sep.	137–210
4	Oct.–Dec.	211–288

A

Akasaka, T.: *see* Kagami, S., Akasaka, T., Shiobara, H., and Hasegawa, A.

Akasaka, T.: *see* Shiobara, H., Akasaka, T., Kagami, S., and Tsutsumi, S.

Ataka, H. and Yamashita, F.: Analysis of tire performance on sand, Jan.–Mar., 52

B

Belt construction
  Application of a technical documentation system for developing new belt constructions for truck tires (Németh, Nándori, Sárközi, and Szabó), Oct.–Dec., 266

Belt edge endurance
  Application of a technical documentation system for developing new belt constructions for truck tires (Németh, Nándori, Sárközi, and Szabó), Oct.–Dec., 266

Brackin, D.: *see* Doan, V. Q., Brackin, D., Nishihata, S., and Sauerzapf, J.

C

Camber angle
  Analysis of the contact deformation of a radial tire with camber angle (Kagami, Akasaka, Shiobara, and Hasegawa), Jan.–Mar., 26

Cavity resonance
  Plane wave resonance in the tire air cavity as a vehicle interior noise source (Thompson), Jan.–Mar., 2

Chung, S.: *see* Schröder, C. and Chung, S.

Coast-by noise
  Investigation into the influence of tire construction on coast-by noise (Doan, Brackin, Nishihata, and Sauerzapf), Mar.–Jun., 96

Composite
  Millipolar theory for twisted cord-reinforced composites (Padovan, Ma, and Parris), Jul.–Sep., 138

Compressive fracture stress of sand
  Analysis of tire performance on sand (Ataka and Yamashita), Jan.–Mar., 52

Contact area
  Measurement and visualization of the contact pressure distribution of rubber disks and tires (Sakai), Oct.–Dec., 238

Contact pressure
  Investigation into the influence of tire construction on coast-by

noise (Doan, Brackin, Nishihata, and Sauerzapf), Mar.–Jun., 96
Measurement and visualization of the contact pressure distribution of rubber disks and tires (Sakai), Oct.–Dec., 238
One-dimensional contact pressure distribution of radial tires in motion (Shiobara, Akasaka, Kagami, and Tsutsumi), Apr.–Jun., 116
Contact pressure distribution
Analysis of the contact deformation of a radial tire with camber angle (Kagami, Akasaka, Shiobara, and Hasegawa), Jan.–Mar., 26
Cord
Millipolar theory for twisted cord-reinforced composites (Padovan, Ma, and Parris), Jul.–Sep., 138

D

Doan, V. Q., Brackin, D., Nishihata, S., and Sauerzapf, J.: Investigation into the influence of tire construction on coast-by noise, Mar.–Jun., 96

E

Elasticity
Millipolar theory for twisted cord-reinforced composites (Padovan, Ma, and Parris), Jul.–Sep., 138
Environmental wear effects
Tire treadwear—The joint influence of compound properties and environmental factors (Veith), Oct.–Dec., 212
External noise
Tire contribution in the context of automobile noise reduction (Rimondi), Jul.–Sep., 189

F

Finite element analysis
Application of a technical documentation system for developing new belt constructions for truck tires (Németh, Nándori, Sárközi, and Szabó), Oct.–Dec., 266
Millipolar theory for twisted cord-reinforced composites (Padovan, Ma, and Parris), Jul.–Sep., 138
Some notes on the finite element analysis of tires (Gall, Tabaddor, Robbins, Majors, Shepherd, and Johnson) Jul.–Sep., 175
Four parameter evaluation method
Influence of tire characteristic properties on the vehicle lateral transient response (Schröder and Chung), Apr.–Jun., 72

G

Gall, R., Tabaddor, F., Robbins, D., Majors, P., Shepherd, W., and Johnson, S.: Some notes on the finite element analysis of tires, Jul.–Sep., 175
Grid generation
Internal temperature distribution in a rolling tire (Oh, Kim, Kim, Moon, Park), Jan.–Mar., 11

H

Hasegawa, A.: *see* Kagami, S., Akasaka, T., Shiobara, H., and Hasegawa, A.

I

Inflation pressure
One-dimensional contact pressure distribution of radial tires in motion (Shiobara, Akasaka, Kagami, and Tsutsumi), Apr.–Jun., 116
Input force
Investigation into the influence of tire construction on coast-by noise (Doan, Brackin, Nishihata, and Sauerzapf), Mar.–Jun., 96
Internal friction angle
Analysis of tire performance on sand (Ataka and Yamashita), Jan.–Mar., 52
Internal temperature
Internal temperature distribution in a rolling tire (Oh, Kim, Kim, Moon, Park), Jan.–Mar., 11

J

Johnson, S.: *see* Gall, R., Tabaddor, F., Robbins, D., Majors, P., Shepherd, W., and Johnson, S.

K

Kagami, S.: *see* Shiobara, H., Akasaka, T., Kagami, S., and Tsutsumi, S.
Kagami, S., Akasaka, T., Shiobara, H., and Hasegawa, A.: Analysis of the contact deformation of a radial tire with camber angle, Jan.–Mar., 26
Kim, N. J.: *see* Oh, B. S., Kim, Y. N., Kim, N. J., Moon, H. Y., and Park, H. W.
Kim, Y. N.: *see* Oh, B. S., Kim, Y. N., Kim, N. J., Moon, H. Y., and Park, H. W.

L

Lateral force
Influence of tire characteristic properties on the vehicle lateral transient response (Schröder and Chung), Apr.–Jun., 72
Loss modulus
Tire treadwear–The joint influence of compound properties and environmental factors (Veith), Oct.–Dec., 212

M

Ma, J.: *see* Padovan, J., Ma, J., and Parris, H.
Magic formula
Influence of tire characteristic properties on the vehicle lateral transient response (Schröder and Chung), Apr.–Jun., 72
Majors, P.: *see* Gall, R., Tabaddor, F., Robbins, D., Majors, P., Shepherd, W., and Johnson S.
Micropolar
Millipolar theory for twisted cord-reinforced composites (Padovan, Ma, and Parris), Jul.–Sep., 138
Millipolar
Millipolar theory for twisted cord-reinforced composites (Padovan, Ma, and Parris), Jul.–Sep., 138
Moon, H. Y.: *see* Oh, B. S., Kim, Y. N., Kim, N. J., Moon, H. Y., and Park, H. W.

N

Nándori, F.: *see* Németh, T., Nándori, F., Sárközi, L., and Szabó, T.

Németh, T., Nándori, F., Sárközi, L., and Szabó, T.: Application of a technical documentation system for developing new belt constructions for truck tires, Oct.–Dec., 266
Nishihata, S.: *see* Doan, V. Q., Brackin, D., Nishihata, S., and Sauerzapf, J.
Noise reduction
Tire contribution in the context of automobile noise reduction (Rimondi), Jul.–Sep., 189

O

Oh, B. S., Kim, Y. N., Kim, N. J., Moon, H. Y., and Park, H. W.: Internal temperature distribution in a rolling tire, Jan.–Mar., 11

P

Padovan, J., Ma, J., and Parris, H.: Millipolar theory for twisted cord-reinforced composites, Jul.–Sep., 138
Park, H. W.: *see* Oh, B. S., Kim, Y. N., Kim, N. J., Moon, H. Y., and Park, H. W.
Parris, H.: *see* Padovan, J., Ma, J., and Parris, H.
Pillai, P. S.: Total energy loss comparison by the whole tire hysteresis and the rolling resistance methods, Oct.–Dec., 256

R

Radial tire
Analysis of the contact deformation of a radial tire with camber angle (Kagami, Akasaka, Shibara, and Hasegawa), Jan.–Mar., 26
Relaxation length
Influence of tire characteristic properties on the vehicle lateral transient response (Schröder and Chung), Apr.–Jun., 72
Rimondi, G.: Tire contribution in the context of automobile noise reduction, Jul.–Sep., 189
Ring model
One-dimensional contact pressure distribution of radial tires in motion (Shiobara, Akasaka, Kagami, and Tsutsumi), Apr.–Jun., 116
Robbins, D.: *see* Gall, R., Tabaddor, F., Robbins, D., Majors, P., Shepherd, W., and Johnson, S.
Rolling resistance
One-dimensional contact pressure distribution of radial tires in motion (Shiobara, Akasaka, Kagami, and Tsutsumi), Apr.–Jun., 116
Total energy loss comparison by the whole tire hysteresis and the rolling resistance methods (Pillai), Oct.–Dec., 256
Rolling tire
Internal temperature distribution in a rolling tire (Oh, Kim, Kim, Moon, Park), Jan.–Mar., 11
Rubber
Millipolar theory for twisted cord-reinforced composites (Padovan, Ma, and Parris), Jul.–Sep., 138
Rubber disk
Measurement and visualization of the contact pressure distribution of rubber disks and tires (Sakai), Oct.–Dec., 238

S

Sakai, E. H.: Measurement and visualization of the contact pressure distribution of rubber disks and tires, Oct.–Dec., 238
Sand tire
Analysis of tire performance on sand (Ataka and Yamashita), Jan.–Mar., 52
Sand traction
Analysis of tire performance on sand (Ataka and Yamashita), Jan.–Mar., 52
Sárközi, L.: *see* Németh, T., Nándori, F., Sárközi, L., and Szabó, T.
Sauerzapf, J.: *see* Doan, V. Q., Brackin, D., Nishihata, S., and Sauerzapf, J.
Schröder, C. and Chung, S.: Influence of tire characteristic properties on the vehicle lateral transient response, Apr.–Jun., 72
Self-aligning torque
Influence of tire characteristic properties on the vehicle lateral transient response (Schröder and Chung), Apr.–Jun., 72
Shearing stress of sand
Analysis of tire performance on sand (Ataka and Yamashita), Jan.–Mar., 52
Shepherd, W.: *see* Gall, R., Tabaddor, F., Robbins, D., Majors, P., Shepherd, W., and Johnson, S.
Shiobara, H.: *see* Kagami, S., Akasaka, T., Shiobara, H., and Hasegawa, A.
Shiobara, H., Akasaka, T., Kagami, S., and Tsutsumi, S.: One-dimensional contact pressure distribution of radial tires in motion, Apr.–Jun., 116
Sound intensity
Investigation into the influence of tire construction on coast-by noise (Doan, Brackin, Nishihata, and Sauerzapf), Mar.–Jun., 96
Spring bedded ring model
Analysis of the contact deformation of a radial tire with camber angle (Kagami, Akasaka, Shiobara, and Hasegawa), Jan.–Mar., 26
Supercomputer
Some notes on the finite element analysis of tires (Gall, Tabaddor, Robbins, Majors, Shepherd, and Johnson) Jul.–Sep., 175
Szabó, T.: *see* Németh, T., Nándori, F., Sárközi, L., and Szabó, T.

T

Tabaddor, F.: *see* Gall, R., Tabaddor, F., Robbins, D., Majors, P., Shepherd, W., and Johnson, S.
Thompson, J. K.: Plane wave resonance in the tire air cavity as a vehicle interior noise source, Jan.–Mar., 2
Tire
Measurement and visualization of the contact pressure distribution of rubber disks and tires (Sakai), Oct.–Dec., 238
Tire hysteresis loss
Total energy loss comparison by the whole tire hysteresis and the rolling resistance methods (Pillai), Oct.–Dec., 256
Tire noise
Tire contribution in the context of

automobile noise reduction (Rimondi), Jul.–Sep., 189
Trapezoidal contact patch
Analysis of the contact deformation of a radial tire with camber angle (Kagami, Akasaka, Shiobara, and Hasegawa), Jan.–Mar., 26
Tread pattern
Investigation into the influence of tire construction on coast-by noise (Doan, Brackin, Nishihata, and Sauerzapf), Mar.–Jun., 96
Tread stiffness
Investigation into the influence of tire construction on coast-by noise (Doan, Brackin, Nishihata, and Sauerzapf), Mar.–Jun., 96
Tread vibration
Investigation into the influence of tire construction on coast-by noise (Doan, Brackin, Nishihata, and Sauerzapf), Mar.–Jun., 96
Treadwear
Tire treadwear—The joint influence of compound properties and environmental factors (Veith), Oct.–Dec., 212
Treadwear mechanism
Tire treadwear—The joint influence of compound properties and environmental factors (Veith), Oct.–Dec., 212
Tsutsumi, S.: *see* Shiobara, H., Akasaka, T., Kagami, S., and Tsutsumi, S.

V

Vehicle dynamics
Influence of tire characteristic properties on the vehicle lateral transient response (Schröder and Chung), Apr.–Jun., 72
Vehicle handling
Influence of tire characteristic properties on the vehicle lateral transient response (Schröder and Chung), Apr.–Jun., 72
Vehicle interior noise
Plane wave resonance in the tire air cavity as a vehicle interior noise source (Thompson), Jan.–Mar., 2
Veith, A. G.: Tire treadwear—The joint influence of compound properties and environmental factors, Oct.–Dec., 212
Vibration transfer properties
Investigation into the influence of tire construction on coast-by noise (Doan, Brackin, Nishihata, and Sauerzapf), Mar.–Jun., 96

W

Weight load
One-dimensional contact pressure distribution of radial tires in motion (Shiobara, Akasaka, Kagami, and Tsutsumi), Apr.–Jun., 116

Y

Yamashita, F.: *see* Ataka, H. and Yamashita, F.